INDEX TO
EXPERIMENTAL MECHANICS
Volume 20, 1980

Subject Index

Acoustic Emission: A Means of Measuring Crack Growth at Elevated Temperatures — A. Arora and K. Tangri, 261-267 (July).
Acoustic-emission Crack Monitoring in Fracture-toughness Tests for AISI 4340 and SA533B Steels — H. Takahashi, M. A. Khan, M. Kikuchi and M. Suzuki, 89-99 (Mar.).
Acoustoelastic Determination of Stress in Slightly Orthotropic Materials — Kenichi Okada, 461-466 (Dec.).
Activities in Experimental Stress and Strain Analysis in Some Asian Countries — Hideo Kitagawa, 173-176 (May).
Analogue Solution of Two-dimensional Thermoelastic Problems with Internal Heat Generation and Heat Transfer — E. Matsumoto and T. Sekiya, 355-360 (Sept.).
Analysis of Mechanical Joints in Wood — T. L. Wilkinson and R. E. Rowlands, 408-414 (Nov.).
Application of Crack-tip-strain Loop to Fatigue-crack Propagation — H. Shimada and Y. Furuya, 423-428 (Nov.).
Application of Faraday's Effect in Static and Dynamic Holographic Photoelasticity — Yu W. Qin, 389-393 (Oct.).
Behavior of Microconcrete Hyperbolic-Paraboloid Shell — T. G. Sambanthan, P. K. Aravindan and P. S. Rao, 240-244 (June).
Behavior of Surface Flaws in Reactor Pressure Vessels Under Thermal-shock Loading Conditions — R. D. Cheverton, S. E. Bolt, P. P. Holz and S. K. Iskander, 155-162 (Apr.).
Bending, Damping and Fatique of Metals — Gerd F. Weissmann, 255-260 (July).
Buckling of Reinforced Fibers During Explosive Welding — V. M. Kornev and I. V. Yakovlev, 467-471 (Dec.).
Constitutive Modeling of Plastic-bonded Explosives — R. L. Peeters and R. M. Hackett, 111-116 (Mar.).
Creep Rupture of Polymer-matrix Composites — H. F. Brinson, W. I. Griffith and D. H. Morris, 329-335 (Sept.).
Deconvolution as a Technique to Improve Measurement-system Data Integrity — Patrick L. Walter, 309-314 (Aug.).
Deflection of Rotating Marine Propellers Using Projected-grating Moiré Techniques — Jerome P. Sikora, 456-460 (Dec.).
Development of Holographic Techniques to Study Thermally Induced Deformation — J. A. Gilbert and D. T. Vedder, 138-144 (Apr.).
Development of Temperature-compensated Resistance Strain Gages for Use to 700°C — Tsen-Tai Wu, Liang-Cheng Ma and Lin-Bao Zhao, 117-123 (Mar.).
Dual-beam Holographic Deflection Measurement — J. A. Gilbert and J. W. Herrick, 349-354 (Sept.).
Dynamic Photoelastic Investigation of Interaction of Stress Waves with Running Cracks — H. P. Rossmanith and A. Shukla, 415-422 (Nov.).
Dynamic Stress-intensity Factors for Unsymmetric Dynamic Isochromatics — A. S. Kobayashi and M. Ramulu, 41-48 (Jan.).
Effect of Inflation Pressure and Vehicle Loading on the Sidewall of a Radial Tire, The — C. L. Chow and C. W. Woo, 379-385 (Oct.).
Electronic Compensating of a Force Transducer for Measuring Fluid Forces Acting on an Accelerating Cylinder — K. G. McConnell and Y. S. Park, 169-172 (Apr.).
Error Analysis of Photoelasticity in Fracture Mechanics — J. F. Doyle, S. Kamle and J. Takezaki, 429-435 (Nov.).
Examination of the Ring Method for Determination of Residual Stresses — A. Misra and H. A. Peterson, 268-272 (July).
Experimental Analysis of Displacements and Shears at Surfaces of Contact — C. Brémond and A. J. Durelli, 105-110 (Mar.).
Experimental Mechanics in Israel — Abraham A. Betser, 58-70 (Feb.).
Experimental Weight Function for Stress-intensity-factor Calibrations, An — D. Bar-Tikva, A. F. Grandt, Jr. and A. N. Palazotto, 371-378 (Oct.).
Experiments on the Dynamic Behavior of Fluid-coupled Concentric Cylinders — M. L. Chu and S. Brown, 129-137 (Apr.).
Generalized Model of Structural Reversed Plasticity, A — D. P. Williams and T. H. Topper, 145-154 (Apr.).
Hardening Model for Anisotropic Materials, A — David W. A. Rees, 245-254 (July).
High-sensitivity Moiré Interferometry — A Simplified Approach — D. Post and W. A. Baracat, 100-104 (Mar.).
Holographic Displacement Analysis with Multimode-fiber Optics — J. A. Gilbert and J. W. Herrick, 315-320 (Aug.).
Hybrid Analysis of Plate Problems — Karl-Hans Laermann, 386-388 (Oct.).
Interaction of Buckling Modes in Thin-walled Cylinders — Colin G. Foster, 124-128 (Mar.).
Interferogram Processing by Spatial Filtering — B. Smolińska and J. J. Wasowski, 281-284 (July).
Load-cell-design Developments by Numerical and Experimental Methods — G. Barbato, S. Desogus, A. Zompi and R. Levi, 341-348 (Sept.).
Material Properties in Thermal-stress Analysis — I. Miskioglu, J. Gryzagorides and C. P. Burger, 295-301 (Aug.).
Measurement of Tapping Torques — D. G. Bellow and G. C. Kiss, 205-208 (May.).
Modifications to the Hole-drilling Technique of Measuring Residual Stresses for Improved Accuracy and Reproducibility — Julian E. Bynum, 21-33 (Jan.).
Moiré Interferometry for Thermal Expansion of Composites — D. E. Bowles, D. Post, C. T. Herakovich and D. R. Tenney, 441-447 (Dec.).
Moiré Method for In-plane and Out-of-plane Displacement Measurements — M. L. Basehore and D. Post, 321-328 (Sept.).
Moving-load Controlled-displacement Fracture-toughness Testing Machine, A — V. K. Pujari, I. Finnie and F. E. Hauser, 234-239 (June).
New Method for Testing Composites at Very High Strain Rates — I. M. Daniel, R. H. LaBedz and T. Liber, 71-77 (Feb.).
Optimization of Hole Shapes in Circular Cylindrical Shells under Axial Torsion — K. Rajaiah and A. J. Durelli, 201-204 (May).
Photoelastic Study of Energy Loss During a Fracture Event, A — A. Shukla and J. A. Dally, 163-168 (Apr.).
Photoviscoplastic Investigations of Slip-line Fields and Principal-stress Trajectories in Viscoelastoplastic Strip for Drawing with Back Tension — Tadashi Nishitani, 219-226 (June).
Rate Sensitivity of Compressive Strength of Columnar-grained Ice — Nirmal K. Sinha, 209-218 (June).
Real-time Response of a Rotating Disk Using Image-derotated Holographic Interferometry — J. C. MacBain, W. A. Stange and K. G. Harding, 34-40 (Jan.).
Recent Developments and Further Aspects of Experimental Stress Analysis in the Federal Republic of Germany and Western Europe — Karl-Hans Laermann, 49-57 (Feb.).
Relationship Between Strain and Derivatives of Observed Displacement in Coherent Optical Metrology, The — Karl A. Stetson, 273-275 (July).
Residual Stresses in Copper-2% Beryllium Alloy Strips — K. E. Amin and S. Ganesh, 473-476 (Dec.).
Role of Stress Analysis in the Design of Force-standard Transducers, The — Anthos Bray, 1-20 (Jan.).
Rotary Birefringent and Quarter-wave Plates Applied to Photoelasticimetry — A. Robert and J. Royer, 186-194 (May).
Sheet-metal Forming Using Impact Loading Through Water Columns, Some Aspects of — R. J. Grieve and N. W. Wambugu, 302-308 (Aug.).
Simple Tool for Speckler-shearing Interferometry, A — J. J. Chao, M. A. Sutton and C. E. Taylor, 436-440 (Nov.).
Simplification for Scattered-light Photoelasticity when Using the Unpolarized Incident Beam — Donald G. Berghaus, 394-400 (Oct.).
Six-component Strain-gage Balances for Large Wind Tunnels — Maurice Dubois, 401-407 (Nov.).
Strain in Transition Joints Measured by high-resolution Moiré Photography — J. M. Webster, J. K. Hepworth and C. Forno, 195-200 (May).
Strain-rate History and Temperature Effects on the Torsional-shear Behavior of a Mild Steel — Abdel-Salam M. Eleiche, 285-294 (Aug.).
Stress-concentration Factors for Elliptical Holes Near an Edge — J. B. Hanus and C. P. Burger, 336-340 (Sept.).
Studies of Contact Problems Using Photoelastic Isodynes — J. T. Pindera and S. B. Mazurkiewicz, 448-455 (Dec.).
Study on Fast Fracture and Crack Arrest — T. Kanazawa, S. Machida, T. Teramoto and H. Yoshinari, 78-88 (Feb.).
Synchronization Problems in Dynamic Holographic Photoelasticity — Jean-Paul Lallemand, 477-480 (Dec.).
Tensile Testing of Materials at High Rates of Strain — Theodore Nicholas, 177-185 (May).
Thermographic Detection of Adhesive-bond and Interlaminar Flaws in Composites — D. W. Wilson and J. A. Charles, 276-280 (July).
Three-dimensional Strain Distributions in Upset Rings by Photoplastic Simulation — H. A. Gomide and C. P. Burger, 361-370 (Oct.).
Time-dependent Optical Characterization in the Photovisco-elastic Study of Stress-wave Propagation — R. J. Arenz and U. Soltész, 227-233 (June).

Author Index

Amin, K. E. — Residual Stresses in Copper–2% Beryllium Alloy Strips, 473-476 (Dec.).

Aravindan, P. K. — Behavior of Microconcrete Hyperbolic-Paraboloid Shell, 240-244 (June).

Arenz, R. J. — Time-dependent Optical Characterization in the Photoviscoelastic Study of Stress-wave Propagation, 227-233 (June).

Arora, A. — Acoustic Emission: A Means of Measuring Crack Growth at Elevated Temperatures, 261-267 (July).

Baracat, W. A. — High-sensitivity Moiré Interferometry—A Simplified Approach, 100-104 (Mar.).

Barbato, G. — Load-cell-design Developments by Numerical and Experimental Methods, 341-348 (Sept.).

Bar-Tikva, D. — An Experimental Weight Function for Stress-intensity-factor Calibrations, 371-378 (Oct.).

Basehore, M. L. — Moiré Method for In-plane and Out-of-plane Displacements, 321-328 (Sept.).

Beaney, E. M. — Discussion of 'Modifications to the Hole-drilling Technique of Measuring Residual Stresses for Improved Accuracy and Reproducibility, 30-31 (Jan.).

Bellow, D. G. — Measurement of Tapping Torques, 205-208 (May).

Berghaus, D. G. — Simplification for Scattered-light Photoelasticity when Using the Unpolarized Incident Beam, 394-400 (Oct.).

Betser, A. A. — Experimental Mechanics in Israel, 58-70 (Feb.).

Bolt, S. E. — Behavior of Surface Flaws in Reactor Pressure Vessels Under Thermal-shock Loading Conditions, 155-162 (Apr.).

Bowles, D. E. — Moiré Interferometry for Thermal Expansion of Composites, 441-447 (Dec.).

Bray, A. — The Role of Stress Analysis in the Design of Force Standard Transducers, 1-20 (Jan.).

Brémond, C. — Experimental Analysis of Displacements and Shears at Surfaces of Contact, 105-110 (Mar.).

Brinson, H. F. — Creep Rupture of Polymer-matrix Composites, 329-335 (Sept.).

Brown, S. — Experiments on the Dynamic Behavior of Fluid-coupled Concentric Cylinders, 129-137 (Apr.).

Burger, C. P. — Material Properties in Thermal-stress Analysis, 295-301 (Aug.).
Stress-concentration Factors for Elliptical Holes Near an Edge, 336-340 (Sept.).
Three-dimensional Strain Distributions in Upset Rings by Photoplastic Simulation, 361-370 (Oct.).

Bynum, J. E. — Modifications to the Hole-drilling Technique of Measuring Residual Stresses for Improved Accuracy and Reproducibility, 21-33 (Jan.).

Chao, J. J. — A Simple Tool for Speckle-shearing Interferometry, 436-440 (Nov.).

Charles, A. J. — Thermographic Detection of Adhesive-bond and Interlaminar Flaws in Composites, 276-280 (July).

Cheverton, R. D. — Behavior of Surface Flaws in Reactor Pressure Vessels Under Thermal-shock Loading Conditions, 155-162 (Apr.).

Chu, M. L. — Experiments on the Dynamic Behavior of Fluid-coupled Concentric Cylinders, 129-137 (Apr.).

Chow, C. L. — The Effect of Inflation Pressure and Vehicle Loading on the Sidewall of a Radial Tire, 379-385 (Oct.).

Daily, J. A. — A Photoelastic Study of Energy Loss During a Fracture Event, 163-168 (Apr.).

Daniel, I. M. — New Method for Testing Composites at Very High Strain Rates, 71-77 (Feb.).

Desogus, S. — Load-cell-design Developments by Numerical and Experimental Methods, 341-348 (Sept.).

Doyle, J. F. — Error Analysis of Photoelasticity in Fracture Mechanics, 429-435 (Nov.).

DuBois, M. — Six-component Strain-gage Balances for Large Wind Tunnels, 401-407 (Nov.).

Durelli, A. J. — Experimental Analysis of Displacements and Shears at Surfaces of Contact, 105-111 (Mar.).
Optimization of Hole Shapes in Circular Cylindrical Shells under Axial Torsion, 201-204 (May).

Eleiche, A.-S. M. — Strain-rate History and Temperature Effects on the Torsional-shear Behavior of a Mild Steel, 285-294 (Aug.).

Finnie, I. — A Moving-load Controlled-displacement Fracture-toughness Testing Machine, 234-239 (June).

Forno, C. — Strain in Transition Joints Measured by High-resolution Moiré Photography, 195-200 (May).

Foster, C. G. — Interaction of Buckling Modes in Thin-walled Cylinders, 124-128 (Mar.).

Furuya, Y. — Application of Crack-tip-strain Loop to Fatigue-crack Propagation, 423-428 (Nov.).

Ganesh, S. — Residual Stresses in Copper–2% Beryllium Alloy Strips, 473-476 (Dec.).

Gilbert, J. A. — Development of Holographic Techniques to Study Thermally Induced Deformation, 138-144 (Apr.).
Holographic Displacement Analysis with Multimode Fiber Optics, 315-320 (Aug.).
Dual-beam Holographic Deflection Measurement, 349-354 (Sept.).

Gomide, H. A. — Three-dimensional Strain Distributions in Upset Rings by Photoplastic Simulation, 361-370 (Oct.).

Grandt, Jr., A. F. — An Experimental Weight Function for Stress-intensity-factor Calibrations, 371-378 (Oct.).

Grieve, R. J. — Some Aspects of Sheet-metal Forming Using Impact Loading through Water Columns, 302-308 (Aug.).

Griffith, W. I. — Creep Rupture of Polymer-matrix Composites, 329-335 (Sept.).

Gryzagorides, J. — Material Properties in Thermal-stress Analysis, 295-301 (Aug.).

Hackett, R. M. — Constitutive Modeling of Plastic-bonded Explosives, 111-116 (Mar.).

Hanus, J. B. — Stress-concentration Factors for Elliptical Holes Near an Edge, 336-340 (Sept.).

Harding, K. G. — Real-time Response of a Rotating Disk Using Image-derotated Holographic Interferometry, 34-40 (Jan.).

Hauser, F. E. — A Moving-load Controlled-displacement Fracture-toughness Testing Machine, 234-239 (June).

Hepworth, J. K. — Strain in Transition Joints Measured by High-resolution Moiré Photography, 195-200 (May).

Herakovich, C. T. — Moiré Interferometry for Thermal Expansion of Composites, 441-447 (Dec.).

Herrick, J. W. — Holographic Displacement Analysis with Multimode-fiber Optics, 315-320 (Aug.).
Dual-beam Holographic Deflection Measurement, 349-354 (Sept.).

Holz, P. P. — Behavior of Surface Flaws in Reactor Pressure Vessels Under Thermal-shock Loading Conditions, 155-162 (Apr.).

Iskander, S. K. — Behavior of Surface Flaws in Reactor Pressure Vessels Under Thermal-shock Loading Conditions, 155-162 (Apr.).

Kamie, S. — Error Analysis of Photoelasticity in Fracture Mechanics, 429-435 (Nov.).

Kanazawa, T. — Study on Fast Fracture and Crack Arrest, 78-88 (Feb.).

Khan, M. A. — Acoustic-emission Crack Monitoring in Fracture-toughness Tests for AISI 4340 and SA533B Steels, 89-99 (Mar.).

Kikuchi, M. — Acoustic-emission Crack Monitoring in Fracture-toughness Tests for AISI 4340 and SA533B Steels, 89-99 (Mar.).

Kiss, G. C. — Measurement of Tapping Torques, 205-208 (May).

Kitagawa, H. — Activities in Experimental Stress Analysis in Some Asian Countries, 173-176 (May).

Kobayashi, A. S. — Dynamic Stress-intensity Factors for Unsymmetric Dynamic Isochromatics, 41-48 (Jan.).

Kornev, V. M. — Buckling of Reinforced Fibers During Explosive Welding, 467-471 (Dec.).

LaBedz, R. H. — New Method for Testing Composites at Very High Strain Rates, 71-77 (Feb.).

Laermann, K.-H. — Recent Developments and Further Aspects of Experimental Stress Analysis in the Federal Republic of Germany and Western Europe, 49-57 (Feb.).
Hybrid Analysis of Plate Problems, 386-388 (Oct.).

Lallemand, J.-P. — Synchronization Problems in Dynamic Holographic Photoelasticity, 477-480 (Dec.).

Levi, R. — Load-cell-design Developments by Numerical and Experimental Methods, 341-348 (Sept.).

Liber, T. — New Method for Testing Composites at Very High Strain Rates, 71-77 (Feb.).

Liang-Cheng Ma — Development of Temperature-compensated Resistance Strain Gages for Use to 700 °C, 117-123 (Mar.).

Lin-Bao Zhao — Development of Temperature-compensated Resistance Strain Gages for Use to 700 °C, 117-123 (Mar.).

MacBain, J. C. — Real-time Response of a Rotating Disk Using Image-derotated Holographic Interferometry, 34-40 (Jan.).

Machida, S. — Study on Fast Fracture and Crack Arrest, 78-88 (Feb.).

Matsumoto, E. — Analogue Solution of Two-dimensional Thermoelastic Problems with Internal Heat Generation and Heat Transfer, 355-360 (Sept.).

Mazurkiewicz, S. B. — Studies of Contact Problems Using Photoelastic Isodynes, 448-455 (Dec.).

McConnell, K. G. — Electronic Compensating of a Force Transducer for Measuring Fluid Forces Acting on an Accelerating Cylinder, 169-172 (Apr.).

Miskioglu, I. — Material Properties in Thermal-stress Analysis, 295-301 (Aug.).

Misra, A. — Examination of the Ring Method for Determination of Residual Stresses, 268-272 (July).

Morris, D. H. — Creep Rupture of Polymer-matrix Composites, 329-335 (Sept.).

Nicholas, T. — Tensile Testing of Materials at High Rates of Strain, 177-185 (May).

Nishitani, T. — Photoviscoplastic Investigations of Slipline Fields and Principal-stress Trajectories in Viscoelastoplastic Strip for Drawing with Back Tension, 219-226 (June).

Okada, K. — Acoustoelastic Determination of Stress in Slightly Orthotropic Materials, 461-466 (Dec.).

Palazotto, A. N. — An Experimental Weight Function for Stress-intensity-factor Calibrations, 371-378 (Oct.).

Park, Y.-S. — Electronic Compensating of a Force Transducer for Measuring Fluid Forces Acting on an Accelerating Cylinder, 169-1972 (Apr.).

Peeters, R. L. — Constitutive Modeling of Plastic-bonded Explosives, 111-116 (Mar.).

Peterson, H. A. — Examination of the Ring Method for Determination of Residual Stresses, 268-272 (July).

Pindera, J. T. — Studies of Contact Problems Using Photoelastic Isodynes, 448-455 (Dec.).

Post, D. — High-sensitivity Moiré Interferometry—A Simplified Approach, 100-104 (Mar.).
Moiré Method for In-plane and Out-of-plane Displacement Measurements, 321-328 (Sept.).
Moiré Interferometry for Thermal Expansion of Composites, 441-447 (Dec.).

Procter, E. — Discussion of 'Modifications to the Hole-drilling Technique of Measuring Residual Stresses for Improved Accuracy and Reproducibility,' 30-31 (Jan.).

Pujari, V. K. — A Moving-load Controlled-displacement Fracture-toughness Testing Machine, 234-239 (June).

Qin, Y. W. — Application of Faraday's Effect in Static and Dynamic Holographic Photoelasticity, 389-393 (Oct.).

Rajaiah, K. — Optimization of Hole Shapes in Circular Cylindrical Shells under Axial Torsion, 201-204 (May).

Ramulu, M. — Dynamic Stress-intensity Factors for Unsymmetric Dynamic Isochromatics, 41-48 (Jan.).

Rao, P. S. — Behavior of Microconcrete Hyperbolic-Paraboloid Shell, 240-244 (June).

Redner, A. S. — Discussion of 'Modifications to the Hole-drilling Technique of Measuring Residual Stresses for Improved Accuracy and Reproducibility', 32-33 (Jan.).
Rees, D.W.A. — A Hardening Model for Anisotropic Materials, 245-254 (July).
Robert, A. — Rotary Birefringent and Quarter-wave Plates Applied to Photoelasticimetry, 186-194 (May).
Rossmanith, H. P. — Dynamic Photoelastic Investigation of Interaction of Stress Waves with Running Cracks, 415-422 (Nov.).
Rowlands, R. E. — Analysis of Mechanical Joints in Wood, 408-414 (Nov.).
Royer, J. — Rotary Birefringent and Quarter-wave Plates Applied to Photoelasticimetry, 186-194 (May).
Sambanthan, T. G. — Behavior of Microconcrete Hyperbolic-Paraboloid Shell, 240-244 (June).
Sekiya, T. — Analogue Solution of Two-dimensional Thermoelastic Problems with Internal Heat Generation and Heat Transfer, 355-360 (Sept.).
Shimada, H. — Application of Crack-tip-strain Loop to Fatigue-crack Propagation, 423-428 (Nov.).
Shukla, A. — A Photoelastic Study of Energy Loss During a Fracture Event, 163-168 (Apr.).
Dynamic Photoelastic Investigation of Interaction of Stress Waves with Running Cracks, 415-422 (Nov.).
Sikora, J. P. — Deflection of Rotating Marine Propellers Using Projected-grating Moiré Techniques, 456-460 (Dec.).
Sinha, N. K. — Rate Sensitivity of Compressive Strength of Columnar-grained Ice, 209-218 (June).
Smolińska, B. — Interferogram Processing by Spatial Filtering, 281-284 (July).
Soltész, U. — Time-dependent Optical Characterization in the Photoviscoelastic Study of Stress-wave Propagation, 227-233 (June).
Strange, W. A. — Real-time Response of a Rotating Disk Using Image-derotated Holographic Interferometry, 34-40 (Jan.).
Stetson, K. A. — The Relationship between Strain and Derivatives of Observed Displacement in Coherent Optical Metrology, 273-275 (July).
Sutton, M. A. — A Simple Tool for Speckle-shearing Interferometry, 436-440 (Nov.).
Suzuki, M. — Acoustic-emission Crack Monitoring in Fracture-toughness Tests for AISI 4340 and SA533B Steels, 89-99 (Mar.).
Takahashi, H. — Acoustic-emission Crack Monitoring in Fracture-toughness Tests for AISI 4340 and SA533B Steels, 89-99 (Mar.).
Takezaki, J. Error Analysis of Photoelasticity in Fracture Mechanics, 429-435 (Nov.).
Tangri, K. — Acoustic Emission: A Means of Measuring Crack Growth at Elevated Temperatures, 261-267 (July).
Taylor, C. E. — A Simple Tool for Speckle-shearing Interferometry, 436-440 (Nov.).
Tenney, D. R. — Moiré Interferometry for Thermal Expansion of Composites, 441-447 (Dec.).
Teramoto, T. — Study on Fast Fracture and Crack Arrest, 78-88 (Feb.).
Topper, T. H. — A Generalized Model of Structural Reversed Plasticity, 145-154 (Apr.).
Tsen-Tai Wu — Development of Temperature-compensated Resistance Strain Gages for Use to 700°C, 117-123 (Mar.).
Vedder, D. T. — Development of Holographic Techniques to Study Thermally Induced Deformation, 138-144 (Apr.).
Walter, P. L. — Deconvolution as a Technique to Improve Measurement-system Data Integrity, 309-314 (Aug.).
Wambugu, N. W. — Some Aspects of Sheet-metal Forming Using Impact Loading through Water Columns, 302-308 (Aug.).
Wasowski, J. J. — Interferogram Processing by Spatial Filtering, 281-284 (July).
Webster, J. M. — Strain in Transition Joints Measured by High-resolution Moiré Photography, 195-200 (May).
Weissmann, G. F. — Bending, Damping and Fatigue of Metals, 255-260 (July).
Wilkinson, T. L. — Analysis of Mechanical Joints in Wood, 408-414 (Nov.).
Williams, D. P. — A Generalized Model of Structural Reversed Plasticity, 145-154 (Apr.).
Wilson, D. W. — Thermographic Detection of Adhesive-bond and Interlaminar Flaws in Composites, 276-280 (July).
Woo, C. W. — The Effect of Inflation Pressure and Vehicle Loading on the Sidewall of a Radial Tire, 379-385 (Oct.).
Yakovlev, I. V. — Buckling of Reinforced Fibers During Explosive Welding, 467-471 (Dec.).
Yoshinari, H. — Study on Fast Fracture and Crack Arrest, 78-88 (Feb.).
Zompi, A. — Load-cell-design Developments by Numerical and Experimental Methods, 341-348 (Sept.).

THIRTY-FIVE-YEAR CUMULATIVE INDEX

FOR THE
PROCEEDINGS OF THE SOCIETY FOR EXPERIMENTAL STRESS ANALYSIS

Indexed by Chronological Order, Author and Topic

Covering Volume 1 (1943) through Volume XXXV (1978), this *single* publication constitutes the *only* source of reference for *every paper* published by the SESA during its first *thirty-five years* of existence.

ORDER FORM

Send ..... copies of the SESA 35-year Cumulative Index

Price per copy: Members, $7.50; List $9.00

(Add 75¢ per copy, for postage and handling)

Payment enclosed $.....

Name .....

Address .....

State ..... City ..... Zip .....

Mail to: **Society for Experimental Stress Analysis**
14 Fairfield Drive
Brookfield Center, CT 06805

SESA